


Ladders

Series TK82: Pull-out ladders with platform

Available in:


- Zinc plated
- Hot galvanized



mm

mm

mm



mm


mm

Series TK86: Pull-out ladders without platform

Available in:

- Zinc plated
- Hot galvanized





L	P	В	Н	STEPS	ě
400	600	420	310	1	4,3
570	850	420	460	2	6
660	1000	420	530	2	6,5
750	1120	420	600	3	7,45
mm	mm	mm	mm		kg

Series TK92: Sliding ladder with 2 wide steps

Available in


- Zinc plated
- Hot galvanized

Features

Graepel step Self-locking system







TK9230: Aluminium sliding ladder with 2 steps

This lightweight ladder is engineered to be mounted on the side as well as on the rear of the vehicle.

Weight is only 9 kg.

Features:

- 2 steps
- Self locking system
- Graepel step





Series TK90: Folding ladder with 2 wide steps

Available in


- Zinc plated
- Hot galvanized

Features

Graepel step Self-locking system







L	P	В	H	i
340	753	610	460	15,8
Hot gal	vanised / F	euerverzink	t / Galvanisé / G	alvanizado
340	753	610	460	15,5
Zinc p	lated / Verz	inkt / Zingu	ıé / Cincado	
mm	mm	mm	mm	kg

TK9055: folding ladder with 3 retractable steps

Available in

- Zinc plated
- Hot galvanized

Features:

- 2 or 3 steps
- Self locking system
- Graepel step





Series TK91: Pull-out ladders with wide step

Available in


- Zinc plated
- Hot galvanized

Steps

3, 4, 5 or 6 steps

Features

Graepel step



L	P	В	H	STEPS	ě
497	1068	698	630	3	18,5
497	1270	698	832	4	23,7
497	1470	698	1033	5	29
497	1672	698	1235	6	34,3


Series TK89: Folding ladder with wide graepel step

Available in

- Zinc plated
- Hot galvanized







L	P	В	Н	i
50	256	775	315	5,26
Hot ga	Ivanised / F	euerverzink	t / Galvanisé / G	alvanizado
50	256	775	315	5,16
Zinc p	olated / Verz	inkt / Zingu	ué / Cincado	
mm	mm	mm	mm	kg

Series TK91: Suspended pull-out ladder



Hot galvanized

Features:

- Handles for safe operation

- Graepel step

Steps:

TK9102: 2 steps TK9104: 3 steps

TK9106: 4 steps



Series 95: Pullout ladders with handrail



Handles for safe operation Graepel step

Steps and weight:

TK9550: 3 steps TK9555: 4 steps TK9560: 5 steps TK9565: 6 steps



Series TK96: Aluminium pull-out ladders



Features:

Handles for safe operation Graepel step

Steps and weight:

TK9650: 3 steps – 12 kg TK9655: 4 steps - 14 kg TK9660: 5 steps - 17 kg TK9665: 6 steps - 20 kg

